

Message

---

**From:** Shoven, Heather [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=B6F004CF5585471490D312751D125532-HSHOVEN]  
**Sent:** 11/17/2016 5:17:25 PM  
**To:** Wilson, Jennifer [wilson.jenniferA@epa.gov]  
**Subject:** FW: Response Requested: Request for Information in relation to 2009 EPA Order with DuPont's Washington Works Facility: List of private wells permitted since 2009 in Washington, Meigs, and Athens Counties

---

**From:** Shoven, Heather  
**Sent:** Monday, April 18, 2016 1:26 PM  
**To:** Gene.Phillips@odh.ohio.gov  
**Subject:** RE: Response Requested: Request for Information in relation to 2009 EPA Order with DuPont's Washington Works Facility: List of private wells permitted since 2009 in Washington, Meigs, and Athens Counties

Hi Gene,

I hope that you are doing well. Could you provide me with an update as to whether ODH can provide me with the requested information below?

Best wishes,  
Heather

Heather A. Shoven | Enforcement Team Leader | U.S. Environmental Protection Agency, Region 5  
Ground Water and Drinking Water Branch | 77 W. Jackson Blvd (WG-15J) | Chicago, IL 60604 | 312-886-0153

---

**From:** Gene.Phillips@odh.ohio.gov [mailto:Gene.Phillips@odh.ohio.gov]  
**Sent:** Monday, March 28, 2016 9:06 AM  
**To:** Shoven, Heather <shoven.heather@epa.gov>; Mike.Baker@epa.ohio.gov  
**Cc:** Poy, Thomas <poy.thomas@epa.gov>; Rebecca.Fugitt@odh.ohio.gov  
**Subject:** RE: Response Requested: Request for Information in relation to 2009 EPA Order with DuPont's Washington Works Facility: List of private wells permitted since 2009 in Washington, Meigs, and Athens Counties

Heather,

I apologize for not responding sooner. We have been very busy here responding to a radiation incident and I am just returning from vacation last week. We did have some internal discussions about your request soon after receiving your initial email. Let me reconnect internally and with OEPA and we will get back to you within the next week.

Sincerely,

**W. Gene Phillips, MPH, MBA, RS**  
Chief, Bureau of Environmental Health & Radiation Protection  
Ohio Department of Health  
35 E. Chestnut Street  
Columbus, OH 43215  
Desk: 614-644-8480  
Fax: 614-466-4556

---

**From:** Shoven, Heather [mailto:shoven.heather@epa.gov]

**Sent:** Monday, March 28, 2016 9:03 AM

**To:** Phillips, Gene; Baker, Michael

**Cc:** Poy, Thomas

**Subject:** Response Requested: Request for Information in relation to 2009 EPA Order with DuPont's Washington Works Facility: List of private wells permitted since 2009 in Washington, Meigs, and Athens Counties

**Importance:** High

Hello Gene and Mike,

Could you let me know if you and your staff are able to follow-up on my information request below? I truly appreciate your time and assistance. Please let me know if you have any questions or concerns.

Best wishes,

Heather

---

**From:** Shoven, Heather

**Sent:** Thursday, March 10, 2016 7:46 AM

**To:** 'gene.phillips@odh.ohio.gov' <gene.phillips@odh.ohio.gov>; 'Mike.Baker@epa.ohio.gov' <Mike.Baker@epa.ohio.gov>

**Cc:** Poy, Thomas <poy.thomas@epa.gov>

**Subject:** Request for Information in relation to 2009 EPA Order with DuPont's Washington Works Facility: List of private wells permitted since 2009 in Washington, Meigs, and Athens Counties

**EPA ENFORCEMENT CONFIDENTIAL**

**TO: Gene Phillips (Ohio Dept. of Health) and Mike Baker (Ohio EPA)**

**Ex. 7(A)**

# Ex. 7(A)

I truly appreciate you and your staff's time.

Best wishes,  
Heather

Heather A. Shoven | Enforcement Team Leader | U.S. Environmental Protection Agency, Region 5  
Ground Water and Drinking Water Branch | 77 W. Jackson Blvd (WG-15J) | Chicago, IL 60604 | 312-886-0153

This e-mail is intended for the sole use of the intended recipient and may contain privileged, sensitive, or protected health information. If you are not the intended recipient, be advised that the unauthorized use, disclosure, copying, distribution, or action taken in reliance on the contents of this communication is prohibited. If you have received this e-mail in error, please notify the sender via telephone or return e-mail and immediately delete this e-mail.